



# CASA MARCHE SAN GIOVANNI IN PERSICETO (BOLOGNA)

## A MULTISTOREY HOUSE BUILT WITH THE PLATFORM-FRAME TECHNIQUE

The construction of multi-storey wooden buildings is one of the application areas in which construction techniques have most evolved to give optimal results. For this reason, in San Giovanni in Persiceto, in the province of Bologna, we have created a building for residential use on two levels using a wooden Platform-Frame structure. This system offers an ideal solution for buildings on multiple levels, ensuring excellent insulation and great anti-seismic characteristics. Furthermore, it is a quick execution technique, which also allows significant economic savings.

### PRODUCT SPECIFICATION


Multi-storey Apartment Building Timber apartment block

**Localization:** San Giovanni in Persiceto (BO)

**Intended use:** Condominiums, Multi-Storey Buildings and Social Housing

**Architeturual and structural design:**

**Total area:** ft



# BUILDING SYSTEM

## Platform-Frame



### Reasons for choosing the Platform-Frame system

**The Platform-Frame system is ideal for building prefabricated multi-storey homes and other types of timber buildings.** This system can be used to create single residential units and condominium buildings of up to four floors in elevation. That explains why this construction technique is especially suitable for **timber buildings for social housing needs:** structures for emergency accommodation needs and shared community spaces. The system also offers excellent **insulation and antiseismic properties:** it offers the highest structural coefficient of all timber construction types. It's also an **economical and easy to erect system.**

### About the Platform-Frame system

**In the Platform-Frame construction system each floor of a building functions as a platform to support the floors above.** Although developed in Northern Europe, the Platform-Frame system is widely used in North America. **Each wall or floor is composed of evenly spaced laminated wood or KVH structural timber studs.** The building frame is covered on the exterior side by OSB structural cladding, fixed by means of ring-shank nails and metal angle brackets. The Platform-Frame system is generally built on a reinforced concrete plinth. The connection between timber building and foundations is assured by threaded steel bars or expansion anchors.



**Sede / Headquarter:**

Sistem Costruzioni s.r.l.  
Via Montegrappa 18 - 20  
41014 Solignano di Castelvetro (MO), Italy  
Tel. +39 059 797477 - 797591  
Fax. +39 059 797646

[info@sistem.it](mailto:info@sistem.it)  
[www.sistem.it](http://www.sistem.it)

**Sucursal Cuba**

Centro de Negocios Miramar  
Calle 3a e/e 76 y 78, Edificio Beijing,  
Piso 1, Oficina 133  
Ciudad de la Habana, Cuba  
Tel. 0053 7 2040823

[sistemcuba@enet.cu](mailto:sistemcuba@enet.cu)  
[www.sistem.it](http://www.sistem.it)