


For the construction of this private single-family house in Gaggio di Castelfranco Emilia (MO), it was decided to focus on a modern and elegant project, which would ensure maximum comfort in a safe environment with significant aesthetic value. In the construction of the supporting structure, on a 270 square meter plant, the Xlam system was used, ideal for guaranteeing significant energy savings and significant anti-seismic characteristics. The house, characterized by a single level with a loft portion, was then completed with a roof made of laminated wood.

PRODUCT SPECIFICATION

| Single-family Residence | | | |
|--|----------------------------------|-----------------------------------|-----------------------------------|
| Localization: Castelfranco Emilia | | | |
| Intended use: Detached or Duplex homes | | | |
| Architetural and structural design: | | | |
| Total area: 270ft | | | |
| l mage not found or type unknown | l nage not found or type urknown | l mage not found or type uz known | l mage not found of type unknown |
| Image not found or type unknown | Image not found or type unknown | I mage not round or type un known | I mage not found or type unknown |
| nage not found or type unknown | nage not found or type un known | nage not found or type us known | l mage not found or type un known |
| l mage not found or type unknown | I mage not found or type unknown | | |

BUILDING SYSTEM

XLAM




Reasons for choosing the Xlam system

The Xlam system is a technical innovation in the construction of timber homes and buildings. The system's exceptional versatility allows the creation of a wide range of architectural constructions, including multi-storey timber buildings. The system assures optimal thermal insulation and a high level of fire resistance, a fast drying process and exceptional acoustic insulation.

About the Xlam system

The Xlam panel is composed of crossed layers bonded together, making the construction system extremely versatile. Composed of 99.4% timber and 0.6% adhesives, Xlam is considered to be a monolithic material capable of supporting very high loads and withstanding external stresses and seismic activity.



Sede / Headquarter:

Sistem Costruzioni s.r.l. Via Montegrappa 18 - 20 41014 Solignano di Castelvetro (MO), Italy Tel. +39 059 797477 - 797591 Fax. +39 059 797646

info@sistem.it www.sistem.it

Sucursal Cuba

Centro de Negocios Miramar Calle 3a e/e 76 y 78, Edificio Beijing, Piso 1, Oficina 133 Ciudad de la Habana, Cuba Tel. 0053 7 2040823

sistemcuba@enet.cu www.sistem.it